

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,091,181 B2  
APPLICATION NO. : 09/839633  
DATED : August 15, 2006  
INVENTOR(S) : Gregory A. Demopoulos et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN	LINE	ERROR
Column 15	64	"compounds are 10 more fully" should read --compounds are more fully--
Column 22	27	"primary afferent 10 neurotrans-" should read --primary afferent neurotrans- --
Column 24	23	"vascular and 10 urologic" should read --vascular and urologic--
Column 25	14	"Nitroglycerin" should read --Nitroglycerin--
Column 39	23	"Ick" should read --lck--
Column 43	52	" $\mu$ M" should read --nM--
Column 48	29	"MIPA" should read --MPA--
Column 49	5	"NSAD" should read --NSAID--
Column 49	49	"COXI" should read --COX1--
Column 52	41	"TNFA" should read --TNF $\alpha$ --
Column 53	34	"TNFA" should read --TNF $\alpha$ --
Column 53	55	"TNFA" should read --TNF $\alpha$ --
Column 53	59	"TNFA" should read --TNF $\alpha$ --
Column 54	19	"RI" should read --R1--
Column 54	45	"RI" should read --R1--
Column 58	8	"(CSF-IR)" should read --(CSF-1R)--
Column 60	52	"W-1R" should read --IL-1R--
Column 64	12	"ninIB" should read --nin <sub>1B</sub> --

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,091,181 B2  
APPLICATION NO. : 09/839633  
DATED : August 15, 2006  
INVENTOR(S) : Gregory A. Demopoulos et al.


Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN	LINE	ERROR
Column 67	8	"burns" should read --burns--
Column 73	24	"Oust" should read --just--
Column 77	46	"O" should read -- "0"--
Column 81	3	"(p=0.19," should read --(p=0.19,--
Column 83	15	"(p=0.137" should read --(p=0.37--

Signed and Sealed this

Twentieth Day of February, 2007



JON W. DUDAS  
*Director of the United States Patent and Trademark Office*